UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

: 7,252,955

Page 1 of 1

APPLICATION NO. : 10/721,434

ISSUE DATE

: August 7, 2007

INVENTOR(S)

: Pant, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

First Page, Column 2, Line 38, "monoclonal antibodies." Chung Hau" should be changed to

--monoclonal antibodies." Chung Hua--

Figure 1. Y Axis Legend, "Protein (ug/ml)" should be changed to --Protein (µg/ml)--

Column 4, Line 25, "with 0.25% formalin." should be changed to --with 0.25% formalin--

Column 6, Line 37, "and calorimetric methods" should be changed to -- and colorimetric methods--

Column 6, Line 41, "quantifiable calorimetric" should be change to --quantifiable colorimetric--

Column 6, Line 46, "cancer in µgm/ml" should be changed to --cancer in µg/ml--

Column 7, Lines 8-9, "their colonoscopy. Extraction of glycoproteins from fecal samples" should be changed to

-- their colonoscopy.

Extraction of glycoproteins from fecal samples-- (heading)

Column 8, Line 18, "O.2 μm Protan" should be changed to --0.2 μm Protan--

Column 8, Line 37, "with 0.01% H2O2" should be changed to --with 0.01% H₂O₂--

Column 8, Line 46, "vamounts of the samples" should be changed to --amounts of the samples--

Column 9, Line 23, "patients was 7 pg/ml." should be changed to --patients was 7 µg/ml.--

Column 10, Line 50, "O-phenylenediamine-H202" should be changed to --O-phenylenediamine-H₂O₂--

4479315

MAILING ADDRESS OF SENDER:

Che Swyden Chereskin, Ph.D. KNOBBE, MARTENS, OLSON & BEAR, LLP 2040 Main Street, 14th Floor Irvine, California 92614

DOCKET NO. LOMACC.003DV2